

Silkolene®

**Superior Motorcycle Oils
and Maintenance Products.**



LUBRICANTS.
TECHNOLOGY.
PEOPLE.




INDEX

- 3 Why FUCHS?
- 4 Silkolene - 100% motorcycle brand
- 6 XP Technology explained
- 9 The range - clear & easy to understand
- 10 100% Recyclable Packaging
- 11 The Range - 4T engine oils
- 12 2T engine oils / classic oils
- 13 Gear oils / suspension fluids / coolants
- 14 Fuel additives / brake & clutch fluids
cleaners / grease
- 15 Aerosols: chain lubes & cleaners
- 16 Full product listing as 1-1-20 incl. codes/case qty
- 18 Customer Support - display & branding
- 19 Customer Support - www / product selector
- 20 Creative Portal Instructions
- 22 A brief history
- 24 References & contacts

Why FUCHS?



- No. 1 independent supplier of lubricants in the world
- 58 companies globally with production plants in 45 countries
- Established 3 generations ago as a family-owned business
- More than 5,000 employees
- A full range of over 10,000 lubricants and related specialties





Silkolene®

100%

MOTORCYCLE BRAND

100% motorcycle brand. 100% passion.



The Silkolene range of premium motorcycle lubricants has some unique USP's when compared to competitors:



- ✓ 100% dedicated to motorcycle lubricants.
- ✓ Silkolene do not sell lubricants into any other industries.
- ✓ True motorcycle lubricant specialists.
- ✓ We carry a vast pedigree, with over 75 years of experience in producing Silkolene products.
- ✓ Continuous R&D, in partnership with 30 labs across the world ensures we use the latest technology to deliver optimum performance across the range.
- ✓ The entire Silkolene range meets or exceeds all required API & JASO MA MA2 specifications, as required in most manufacturers handbooks.
- ✓ Only Silkolene can offer XP technology, giving up to 3% increase in BHP, up to 18% less oil consumption, up to 11% improved fuel economy, and industry leading wear rate protection.

A close-up photograph of a scientist in a laboratory. The scientist is wearing a white lab coat and blue safety glasses. They are holding a round-bottom flask with a yellow liquid inside. The background is blurred, showing other laboratory equipment. A dark blue rectangular overlay is positioned in the lower-left quadrant of the image, containing the text 'Silkolene XP TECHNOLOGY EXPLAINED'.

Silkolene[®]

**XP TECHNOLOGY
EXPLAINED**

XP Technology

- explained



As a market leader producing superior and technologically advanced motorcycle lubricants, Silkolene has always pushed the boundaries of lubricant technology and set the standards for others to follow.

Based on our existing Pro and Comp products and following extensive R&D test studies by our chemical engineering teams, we have developed **XP Technology** - the next generation of technically advanced motorcycle lubricants.

A range of products which use the latest innovative technology, combat engine wear and reduces friction on all critical load surfaces at both high temperature operation and on cold starts.

Current grades available:

Pro 4 XP

5W-40 / 10W-30 / 10W-40 / 10W-50 / 10W-60 / 15W-50

Comp 4 XP

10W-30 / 10W-40 / 15W-50 / 20W-50

XP

TECHNOLOGY

Only Silkolene can offer:

- ✓ **PROVEN**
Up to 11% Fuel Savings
- ✓ **PROVEN**
Up to 18% Lower Oil Consumption
- ✓ **PROVEN**
Up to 3% Improved Power (BHP/Torque)
- ✓ **PROVEN**
Reduced Engine Wear



Silkolene
**CHOOSING THE
RIGHT PRODUCT**



Kawasaki

The Range - clear & easy to understand



With colour coded labels, the customer has clear instruction and an easy choice to upgrade:

- Pro**
Ester Based Fully Synthetic = **Red**
- Comp**
Ester Based Premium Semi Synthetic = **Gold**
- Super**
Semi Synthetic = **Silver**
- Maintenance**
= **Blue**



Clear description of viscosity

Suitable for Off Road / Road

4T or 2T clearly shown

All XP Technology grades with XP logo

100% recyclable packaging option; available in 20L and 4L




Lube Cube

A single use, 100% recyclable packaging system, developed over the past 10 years with anti-glug and easy-pour technology. Currently one of the most convenient, cost effective & sustainable forms of lubrication packaging on the market.

Once empty, the cardboard outer can be flat packed and placed with normal recycling waste. The Lube Cube's inner plastic bag can also be placed with normal recycling waste - if the bag is washed out prior to disposal.

Maximising your storage efficiency - the Lube Cube stacks easily which enables more product to fit onto a standard pallet.



Receive: 20% More
20 litres per pallet

Receive: 60% More
4 litres per pallet

Product	Description	Specifications	Approvals
4-Stroke Engine Oils: PRO Ester Based Fully Synthetic			
PRO 4 XP 5W-40 PRO 4 XP 10W-30 PRO 4 XP 10W-40 PRO 4 XP 10W-50 PRO 4 XP 10W-60 PRO 4 XP 15W-50	<ul style="list-style-type: none"> formulated to meet the needs of both air and water-cooled 4-stroke engines. the recommended SAE grades for the majority of motorcycle manufacturers. 	API SN	JASO MA2 APPROVED
QUAD ATV 5W-40	<ul style="list-style-type: none"> increased power and optimum engine protection over a wide range of ambient temperatures. stay-in-grade capability ensures consistent performance for the full oil service life. 	API SN, ACEA A3/B3	JASO MA2 APPROVED
4-Stroke Engine Oils: COMP Ester Based Premium Semi Synthetic			
COMP 4 XP 10W-30 COMP 4 XP 10W-40 COMP 4 XP 15W-50 COMP 4 XP 20W-50	<ul style="list-style-type: none"> formulated to meet the needs of both air and water-cooled 4-stroke engines. the recommended SAE grades for the majority of motorcycle manufacturers. 	API SL	JASO MA2 APPROVED
V-TWIN 20W-50	<ul style="list-style-type: none"> mineral engine oil for all Harley Davidson and Metric V-Twins. provides high level of engine cleanliness & protects engine components from wear & corrosion. 	API SL	JASO MA2 APPROVED
QUAD ATV 10W-40	<ul style="list-style-type: none"> anti-wear detergents, dispersants, & anti-corrosion systems provide excellent engine cleanliness and minimum wear to ensure long-term reliability. 	API SL	JASO MA2 APPROVED
SCOOT SPORT 4 5W-40	<ul style="list-style-type: none"> latest technology provides increased power and optimum engine protection for improved long term performance and reliability. 	API SN	JASO MA2 APPROVED
4-Stroke Engine Oils: SUPER Semi Synthetic			
SUPER 4 10W-40 SUPER 4 20W-50	<ul style="list-style-type: none"> protects the engine & transmission with advanced additive chemistry from start to full power. detergents, dispersants & load carrying agents give excellent engine cleanliness & minimum wear of moving parts. 	API SL	JASO MA2 APPROVED
SCOOT 4 10W-40	<ul style="list-style-type: none"> provides exceptional anti-corrosion & anti-wear performance, even under extreme temperature conditions. ideal for use in all modern high performance, free revving 4 stroke scooters. 	API SL	JASO MA2 APPROVED
4-Stroke Engine Oils: PRO Fully Synthetic Race Application			
PRO 4 PLUS 5W-40 PRO 4 PLUS 10W-50	<ul style="list-style-type: none"> ultimate fully synthetic ester engine oil. Proven formula increases power, gives ultimate performance and reliability. 	API SL	JASO MA2 APPROVED
PRO R 0W-20	<ul style="list-style-type: none"> unique low viscosity synthetic which cuts oil drag yet maintains a tough low-wear film on highly stressed components. 		FOR RACE USE ONLY
CASTORENE R40S CASTORENE R50S	<ul style="list-style-type: none"> castor & Synthetic ester blend - suitable for 2T & 4T engines. For dry sump speedway engines. 		MUST NOT BE MIXED WITH MINERAL OILS

Product	Description	Specifications
2-Stroke Engine Oils: PRO Ester Based Fully Synthetic		
PRO 2	<ul style="list-style-type: none"> competition oil which can provide the latest racing engines with outstanding load-carrying and cleanliness requirements necessary for full power output even at high fuel to oil ratios. Only for use with PreMix systems. Recommended mix up to 50:1 (2%). DO NOT MIX WITH CONVENTIONAL OILS. 	CIK FIA HOMOLOGATED 
PRO KR2 SAE 30	<ul style="list-style-type: none"> for high output kart engines giving exceptional performance and reliability. compatible with all fuels. Consult engine manufacturer for mix recommendations. DO NOT MIX WITH OTHER LUBRICANTS. 	CIK FIA HOMOLOGATED 
COMP 2 PLUS	<ul style="list-style-type: none"> ultra low smoke, clean burning lubricant providing maximum performance, extra power and reliability. compatible with all fuels and suitable for pre-mix and Injector systems. 	API TC, ISO L-EGD, JASO FC/FD
2-Stroke Engine Oils: SCOOTER Fully Synthetic		
CLASSIC 2-STROKE	<ul style="list-style-type: none"> fully Synthetic ester, clean burning, low smoke formula. Reduces friction & wear. maintains optimum power and is fully compatible with all modern fuel. 	API TC, ISO L-EGD, JASO FC/FD.
2-Stroke Engine Oils: COMP Ester Based Premium Semi Synthetic		
COMP 2	<ul style="list-style-type: none"> advanced low smoke, low ash formula reduces engine wear - prevents piston seizure, & exhaust port blockage. suitable for pre-mix and Injector systems. Mix well. refer to handbook for mix recommendations. Compatible with all fuels.. 	API TC, ISO L-EGD JASO FC/FD.
SCOOT SPORT 2	<ul style="list-style-type: none"> clean burning, low smoke engine oil. Optimises power & improves fuel economy. outstanding resistance to ring sticking, plug fouling and pre-ignition. compatible with all fuels. Suitable for both premix and injector systems. 	API TC, ISO L-EGD JASO FC/FD.
2-Stroke Engine Oils: SUPER Semi Synthetic		
SUPER 2	<ul style="list-style-type: none"> clean burning formula reduces wear and ensures reliability. does not contain spirit or kerosene dilutes. suitable for Pre-Mix and Injector systems. Compatible with all fuels. 	API TC JASO FB
SCOOT 2	<ul style="list-style-type: none"> MC-Syn Technology provides excellent anti-wear properties. a clean burning, low smoke formula. Compatible with all fuels. 	API TC JASO FC
Classic Oils: 4L Classic Tins		
CHATSWORTH 30 - SAE 30 CHATSWORTH 40 - SAE 40	<ul style="list-style-type: none"> monograde low detergent /dispersant engine oil. 	API SD/CC
DONINGTON 40 SAE 40	<ul style="list-style-type: none"> monograde non-detergent engine oil. Suitable for certain 1930s & 1940s vintage & veteran motorcycles. 	API SA
HARDWICK 50 SAE 50	<ul style="list-style-type: none"> monograde, detergent/dispersant engine oil. Includes high levels of anti-wear additives. 	API SF/CD
OSMASTON 50 SAE 50	<ul style="list-style-type: none"> monograde non-detergent engine oil. Can also be used for total loss lubrication systems & certain gearboxes. 	API SB
RHINO 140	<ul style="list-style-type: none"> multipurpose mild EP gear oil. Suitable for use in gearboxes and final drives where this type of oil is specified. 	API GL3
SILKOLUBE 20W-50	<ul style="list-style-type: none"> multigrade low detergent/dispersant engine oil. Suitable for many pre 1990s classic motorcycles. 	API SF/CC
STRAIGHT 30 SAE 30	<ul style="list-style-type: none"> monograde non-detergent engine oil. Suitable for pre 1930s motorcycles. 	API SA
2T PRE-MIX SAE 40	<ul style="list-style-type: none"> synthetic ester 2-stroke oil. Suitable for older pre-mix engines and certain rotary engines. 	API TC JASO FB

Product	Description	Specifications
Gear Oils		
Fully Synthetic		
PRO SRG 75	<ul style="list-style-type: none"> racing gear oil. crankcase rating SAE 10W-30. 	
Gear Oils		
Semi-Synthetic		
V-TWIN 80W-90	<ul style="list-style-type: none"> extreme pressure gear oil for Harley Davidson and Metric V-Twins. 	API GL-5
COMP GEAR SAE 80W-90	<ul style="list-style-type: none"> racing gear oil. crankcase rating SAE 10W-40. 	
Gear Oils		
BOA 80W-90	<ul style="list-style-type: none"> hypoid gear oil. SAE 80W-90. 	API GL5
GEAR OIL LIGHT	<ul style="list-style-type: none"> motorcycle applications only. crankcase rating SAE 10W-40. 	API GL-3 or API GL-4
GEAR OIL MEDIUM	<ul style="list-style-type: none"> motorcycle applications only. crankcase rating SAE 20W-50. 	API GL-3 or API GL-4
CLASSIC ST30	<ul style="list-style-type: none"> non EP Gear oil formulated especially for classic Vespa gearboxes. 	Meets API GL-3
CLASSIC ST90	<ul style="list-style-type: none"> non EP Gear oil formulated especially for classic Lambretta gearboxes. 	Meets API GL-3
SCOOTER GEAR OIL SAE 80W-90	<ul style="list-style-type: none"> outstanding lubrication & performance in transmission drive systems of scooters & mopeds. 	Meets API GL-4
Suspension Fluids		
RSF 2.5 (ISO 15) RSF 5 (ISO 22) RSF 7.5 (ISO 32) RSF 10 (ISO 46) RSF 15 (ISO 100)	<ul style="list-style-type: none"> a race/road/track proven suspension fluid already in use and chosen by many of today's market leading suspension manufacturers. grades can be mixed. 	
SF 20 SF 30	<ul style="list-style-type: none"> high VI index monograde formulation, combats friction, protects seals and resists corrosion. ensures smooth suspension under all road and competition conditions. grades can be mixed. 	
02 SYNTHETIC FORK OIL (ISO 22) 05 SYNTHETIC FORK OIL (ISO 46)	<ul style="list-style-type: none"> exceptional performance and zero drag in racing forks. low friction synthetic additives ensure smooth, predictable action on all terrains. reduces stick-slip, minimises pressurisation at high temperature in all conditions. 	
Coolants		
MAG COOL	<ul style="list-style-type: none"> ready to use premium coolant based on mono-ethylene glycol. free from nitrites, amines, silicates and phosphates race proven. 	
PRO COOL	<ul style="list-style-type: none"> advanced all-season pre-mixed engine coolant based on mono-propylene glycol. non-toxic. 	

Product	Description	Specifications
Fuel Additives		
PRO FST	<ul style="list-style-type: none"> Advanced multi-functional fuel treatment. Protects against cold start wear, corrosion, carburettor icing, deposit build up problems, and rough running at low engine revs. 	
PRO BOOST	<ul style="list-style-type: none"> Octane improver - added to petrol will also have a 'keep clean effect' in both carburettor and injection systems and will help to reduce icing in carburettors. Fully compatible with all petrol and does not attack fuel hoses or filters. 	
PRO CCA ULTRA	<ul style="list-style-type: none"> race engine corrosion inhibitor. mixing ratio 3% to 5%. Does not protect from frost. 	
Brake & Clutch Fluids		
UNIVERSAL BRAKE & CLUTCH FLUID	<ul style="list-style-type: none"> suitable for UK, US, European and Japanese motorcycles. Typical dry boiling point 230°C (446°F) Typical wet boiling point 155°C (311°F) 	Mixes safely with all fluids meeting the standards FMVSS116 DOT 5.1, DOT 4 and DOT 3, ISO 4925
PRO RACE BRAKE FLUID	<ul style="list-style-type: none"> high quality Racing Brake Fluid suitable for race or road use. Typical dry boiling point 315°C (594°F) Typical wet boiling point 204°C (399°F) Minimum wet boiling point 195°C (383°F) 	DOT 4
Cleaners		
FOAM FILTER CLEANER	<ul style="list-style-type: none"> a highly effective, water rinsable cleaner/degreaser formulated specifically for cleaning foam filters prior to re-oiling. 	
FOAM FILTER OIL	<ul style="list-style-type: none"> advanced, low viscosity coating treatment designed to improve the efficiency of foam air filters. contains polymeric additives to provide a hyper-tacky surface that resists the ingress of elements without affecting engine breathing. 	
FOAM FILTER OIL KIT	<ul style="list-style-type: none"> a complete system for foam filter cleaning. <u>The kit contains:</u> buckets x2, gloves, strainer, 1x 4L SILKOLENE FOAM FILTER CLEANER, 1x 1L SILKOLENE FOAM FILTER OIL. 	
WASH OFF	<ul style="list-style-type: none"> a cost-effective spray-on / hose-off bike cleaner suitable for all street and off-road motorbikes, bicycles, quads and ATV's. 	
Grease		
PRO RG2 GREASE	<ul style="list-style-type: none"> an advanced, high melting point, synthetic racing grease. multi-functional, with exceptional heat resisting & water-proofing properties. outstanding water repellence and corrosion inhibition properties. 	NLGI-2
COPPER PASTE	<ul style="list-style-type: none"> superior high temperature anti-seize lubricant containing copper. designed to control pitting, rusting, thread distortion and seizure due to corrosion. Reduces dismantling torque. 	

Superior protection

- for road & off-road use



Used by FUCHS Silkolene sponsored 2018 British Superbike Champion: Leon Haslam, JG Speedfit Kawasaki.

Product	Description
Aerosols: Chain lubes & cleaners	
CHAIN LUBE	<ul style="list-style-type: none"> semi-synthetic chain oil suitable for road and off-road use.
PRO CHAIN	<ul style="list-style-type: none"> 100% synthetic racing chain oil, suitable for road & off road use.
PRO PREP	<ul style="list-style-type: none"> a high quality water repellent, hard surface conditioner which provides a micro barrier against dirt and unwanted deposits gives that elusive 'factory finish' and also ensures smooth operation of plastic moving parts. Helps to waterproof and insulate ignition systems. <p>NOTE: Contains silicones - do not use where painting is carried out or on windscreens or visors.</p>
CONTACT CLEANER	<ul style="list-style-type: none"> a powerful solvent cleaner ideal for cleaning electrical components.
INJECTOR & CARB CLEANER	<ul style="list-style-type: none"> removes internal and external gum from carburettors and injection systems.
ALL IN ONE	<ul style="list-style-type: none"> premium, multi-purpose, moisture repellent spray for use in the garage & home.
FOAM FILTER OIL	<ul style="list-style-type: none"> advanced low viscosity coating treatment. Improves efficiency of foam air filters.
TITANIUM DRY LUBE	<ul style="list-style-type: none"> non fling PTFE boosted chain lube, with exceptional anti-wear and anti-corrosion performance.
SILKOPEN	<ul style="list-style-type: none"> graphited penetrating spray to ease the dismantling of seized threaded fasteners.
BRAKE & CHAIN CLEANER	<ul style="list-style-type: none"> a powerful cleaner - perfect for removing unwanted deposits.

CODE	PRODUCT NAME	PACK SIZE	CASE QTY.
4T ESTER BASED FULLY SYNTHETIC			
XP TECHNOLOGY - up to 11% fuel savings, 18% less oil consumption, 3%			
601399114	Pro 4 10W-30 XP	1 litre	10x1lt
601399244	Pro 4 10W-30 XP	4 litre	4x4lt
601399367	Pro 4 10W-30 XP	205 litre	205lt
600986124	Pro 4 10W-40 XP	1 litre	10x1lt
600985134	Pro 4 10W-40 XP	4 litre	4x4lt
601196324	Pro 4 10W-40 XP	4 litre CUBE	4x4lt CUBE
600888411	Pro 4 10W-40 XP	20 litre	20lt
601344107	Pro 4 10W-40 XP	20 litre CUBE	20lt CUBE
600888404	Pro 4 10W-40 XP	60 litre	60lt
600888503	Pro 4 10W-40 XP	205 litre	205lt
600924720	Pro 4 10W-40 XP	Bulk	Bulk
601229855	Pro 4 10W-50 XP	1 litre	10x1lt
601229947	Pro 4 10W-50 XP	4 litre	4x4lt
601368646	Pro 4 10W-50 XP	20 litre CUBE	20lt CUBE
600888510	Pro 4 10W-50 XP	60 litre	60lt
600888534	Pro 4 10W-50 XP	205 litre	205lt
600986186	Pro 4 10W-60 XP	1 litre	10x1lt
600985240	Pro 4 10W-60 XP	4 litre	4x4lt
601223723	Pro 4 10W-60 XP	60 litre	60lt
600888558	Pro 4 10W-60 XP	205 litre	205lt
601229978	Pro 4 5W-40 XP	1 litre	10x1lt
601230028	Pro 4 5W-40 XP	4 litre	4x4lt
601389979	Pro 4 5W-40 XP	20 litre	20lt
601413896	Pro 4 5W-40 XP	20 litre CUBE	20lt CUBE
601238833	Pro 4 5W-40 XP	60 litre	60lt
601238819	Pro 4 5W-40 XP	205 litre	205lt
600986179	Pro 4 15W-50 XP	1 litre	10x1lt
600985226	Pro 4 15W-50 XP	4 litre	4x4lt
601368622	Pro 4 15W-50 XP	20 litre CUBE	20lt CUBE
600888565	Pro 4 15W-50 XP	60 litre	60lt
600888589	Pro 4 15W-50 XP	205 litre	205lt
600985110	Silkolene Quad ATV 5W-40	4 litre	4x4lt
4T SYNTHETIC ESTER BASED			
XP TECHNOLOGY - up to 11% fuel savings, 18% less oil consumption, 3%			
600986148	Comp 4 10W-30 XP	1 litre	10x1lt
600985165	Comp 4 10W-30 XP	4 litre	4x4lt
600888596	Comp 4 10W-30 XP	205 litre	205lt
600924737	Comp 4 10W-30 XP	Bulk	Bulk
600986216	Comp 4 10W-40 XP	1 litre	10x1lt
600985295	Comp 4 10W-40 XP	4 litre	4x4lt
601196317	Comp 4 10W-40 XP	4 litre CUBE	4x4lt CUBE
600888619	Comp 4 10W-40 XP	20 litre	20lt
601344084	Comp 4 10W-40 XP	20 litre CUBE	20lt CUBE
600888640	Comp 4 10W-40 XP	60 litre	60lt
600888633	Comp 4 10W-40 XP	205 litre	205lt
600924713	Comp 4 10W-40 XP	Bulk	Bulk
600986155	Comp 4 15W-50 XP	1 litre	10x1lt
600985189	Comp 4 15W-50 XP	4 litre	4x4lt
600924232	Comp 4 15W-50 XP	20 litre	20lt
601368691	Comp 4 15W-50 XP	20 litre CUBE	20lt CUBE
600924256	Comp 4 15W-50 XP	60 litre	60lt
600924249	Comp 4 15W-50 XP	205 litre	205lt
600986193	Comp 4 20W-50 XP	1 litre	10x1lt
600985264	Comp 4 20W-50 XP	4 litre	4x4lt
600924263	Comp 4 20W-50 XP	20 litre	20lt
601368707	Comp 4 20W-50 XP	20 litre CUBE	20lt CUBE
600924270	Comp 4 20W-50 XP	205 litre	205lt
601383618	Quad ATV 10W-40	1 litre	10x1lt
601383601	Quad ATV 10W-40	4 litre	4x4lt
600986117	Scout Sport 4 5W-40	1 litre	10x1lt
600706562	Scout Sport 4 5W-40	20 litre	20lt
601414350	Scout Sport 4 5W-40	20 litre CUBE	20lt CUBE
600738983	Scout Sport 4 5W-40	60 litre	60lt
600257323	Scout Sport 4 5W-40	205 litre	205lt
4T SEMI SYNTHETIC			
601383656	Super 4 10W-40	1 litre	10x1lt
601383625	Super 4 10W-40	4 litre	4x4lt
601196331	Super 4 10W-40	4 litre CUBE	4x4lt CUBE
601366970	Super 4 10W-40	20 litre CUBE	20lt CUBE
601367021	Super 4 10W-40	60 litre	60lt
601366963	Super 4 10W-40	205 litre	205lt
601367038	Super 4 10W-40	Bulk	Bulk
601383854	Super 4 20W-50	1 litre	10x1lt
601383878	Super 4 20W-50	4 litre	4x4lt
601414367	Super 4 20W-50	20 litre CUBE	20lt CUBE
601416057	Super 4 20W-50	60 litre	60lt
601416040	Super 4 20W-50	205 litre	205lt
600986209	Scout 4 10W-40	1 litre	10x1lt
600743000	Scout 4 10W-40	20 litre	20lt
601414343	Scout 4 10W-40	20 litre CUBE	20lt CUBE
600986278	V-Twin 20W-50 Mineral	1 litre	10x1lt
600985387	V-Twin 20W-50 Mineral	4 litre	4x4lt

2T ESTER BASED FULLY SYNTHETIC			
600986056	Pro 2	1 litre	10x1lt
600985943	Pro KR2	1 litre	10x1lt
600986049	Comp 2 Plus	1 litre	10x1lt
600984984	Comp 2 Plus	4 litre	4x4lt
600985974	Classic 2 Stroke	1 litre	10x1lt
2T SYNTHETIC ESTER BASED			
600986018	Comp 2	1 litre	10x1lt
600984939	Comp 2	4 litre	4x4lt
600985998	Scout Sport 2	1 litre	10x1lt
2T SEMI SYNTHETIC			
600986247	Super 2	1 litre	10x1lt
600985356	Super 2	4 litre	4x4lt
600985875	Scout 2	1 litre	10x1lt
600985318	Scout 2	4 litre	4x4lt
600146504	Scout 2	60 litre	60lt
600144579	Scout 2	205 litre	205lt
2T CLASSIC			
601232824	Classic 2T Pre-Mix	4 litre	4x4lt
4T CLASSIC			
601232671	Chatsworth 30	4 litre	4x4lt
601232756	Chatsworth 40	4 litre	4x4lt
601232831	Classic Straight 30	4 litre	4x4lt
601232848	Donington 40	4 litre	4x4lt
601232855	Hardwick 50	4 litre	4x4lt
601232862	Osmaston 50	4 litre	4x4lt
601232886	Silkolube 20W-50	4 litre	4x4lt
4T ESTER BASED FULLY SYNTHETIC RACE OILS			
600985301	Pro R 0W-20	4 litre	4x4lt
601360671	Pro 4 Plus 5W-40	4 litre	4x4lt
601360626	Pro 4 Plus 10W-50	4 litre	4x4lt
600985950	Castorene R40S	1 litre	10x1lt
600985967	Castorene R50S	1 litre	10x1lt
MAINTAIN - GEAR OILS			
600985882	Pro SRG 75	1 litre	10x1lt
600986131	Comp Gear	1 litre	10x1lt
600985929	V-Twin 80W-90	1 litre	10x1lt
600985905	Gear Oil Light	1 litre	10x1lt
600985912	Gear Oil Medium	1 litre	10x1lt
600985936	Boa 80W-90	10x500ml	10x500ml
600986025	Classic ST30 - Vespa	10x500ml	10x500ml
600986070	Classic ST90 - Lambretta	10x500ml	10x500ml
601227806	Scouter Gear Oil	20x125ml	20x125ml
CLASSIC			
601232879	Rhino	4 litre	4x4lt
MAINTAIN - SUSPENSION FLUIDS			
600986254	O2 Synthetic Fork Oil	1 litre	10x1lt
600391836	O2 Synthetic Fork Oil	205 litre	205lt
600986261	O5 Synthetic Fork Oil	1 litre	10x1lt
600967697	RSF 2.5 - ISO 15	1 litre	10x1lt
600968915	RSF 2.5 - ISO 15	20 litre	20lt
601414152	RSF 2.5 - ISO 15	20 litre CUBE	20lt CUBE
600969219	RSF 2.5 - ISO 15	205 litre	205lt
600968809	RSF 5 - ISO 22	1 litre	10x1lt
600968922	RSF 5 - ISO 22	20 litre	20lt
601414169	RSF 5 - ISO 22	20 litre CUBE	20lt CUBE
600969226	RSF 5 - ISO 22	205 litre	205lt
600968816	RSF 7.5 - ISO 32	1 litre	10x1lt
600968946	RSF 7.5 - ISO 32	20 litre	20lt
601414329	RSF 7.5 - ISO 32	20 litre CUBE	20lt CUBE
600968823	RSF 10 - ISO 46	1 litre	10x1lt
600969202	RSF 10 - ISO 46	20 litre	20lt
601414121	RSF 10 - ISO 46	20 litre CUBE	20lt CUBE
600968830	RSF 15 - ISO 100	1 litre	10x1lt
600987552	RSF 15 - ISO 100	20 litre	20lt
601414145	RSF 15 - ISO 100	20 litre CUBE	20lt CUBE
600968847	SF 20 - monograde	1 litre	10x1lt
600968793	SF 30 - monograde	1 litre	10x1lt
MAINTAIN - CHAIN LUBES			
601398919	Pro Chain - 100% synthetic	500ml	12x500ml
601398605	Chain Lube	500ml	12x500ml
601399053	Titanium Dry Lube	500ml	12x500ml
MAINTAIN - COOLANTS & ADDITIVES			
600994365	Pro Cool	1 litre	10x1lt
600518332	Pro Cool	20 litre	20lt
601368615	Pro Cool	20 litre CUBE	20lt CUBE
600928124	Mag Cool	1 litre	10x1lt
600990435	Mag Cool	20 litre	20lt
601413865	Mag Cool	20 litre CUBE	20lt CUBE
800252845	Pro Boost **	6x1 litre	6x1lt

MAINTAIN - BRAKE/CLUTCH FLUIDS			
800164728	Pro Race Brake Fluid	500ml	12x500ml
800164742	Universal Brake & Clutch Fluid	250ml	12x250ml
800164735	Universal Brake & Clutch Fluid	500ml	12x500ml
800174307	Universal Brake & Clutch Fluid	5 litre	4x5lt
MAINTAIN - FILTER TREATMENT & CLEANERS			
600986308	Foam Filter Cleaner	1 litre	12x1lt
600985431	Foam Filter Cleaner	4 litre	4x4lt
800252876	Foam Filter Oil	1 litre	6x1lt
601398766	Foam Filter Oil	500ml	12x500ml
601004964	Foam Filter Kit	1 each	1 each
800164704	Wash-Off	1 litre	10x1lt
800164711	Wash-Off	5 litre	4x5lt
800232120	Brake Cleaner	5 litre	4x5lt
MAINTAIN - AEROSOLS & GREASES			
601398353	All in One	500ml	12x500ml
601398360	Brake & Chain Cleaner	500ml	12x500ml
601398681	Contact Cleaner	500ml	12x500ml
601398896	Injector & Carb Cleaner	500ml	12x500ml
601399046	Pro Prep	500ml	12x500ml
601398933	Silkopen	500ml	12x500ml
600025885	Pro RG2 Grease	500gm	12x500gm
800242914	Pro RG2 Grease	100gm	12x100gm
600144241	Copper Paste	500gm	6x500gm
800242921	Copper Paste	100gm	12x100gm
600144210	EP2 Grease	500gm	6x500gm
MAINTAIN - FUEL TREATMENT			
601417191	Engine Flush	100ml	12x100ml
601417184	Octane Booster**	100ml	12x100ml
601417177	Pro FST **	100ml	12x100ml

DISPLAY STANDS, PROMOTIONAL ITEMS &		
CODE	PRODUCT NAME	PACK SIZE
800225337 + 800225344	Silkolene Metall Retail Display stand	per each - order both packs together
800289339	Silkolene Cardboard Retail Stand	
800298065	Silkolene 20 litre LubeCube Stand	
800247056	Silkolene Trackside banner	per 1 roll / 5 banners per roll
800290779	Silkolene Oil Change Labels	per 10 rolls/100 labels per roll
800257154	Silkolene Baseball Cap	1-size
800304315	Silkolene Beanie Hat	1-size
800258458	Silkolene T-Shirt	Medium
800258441	Silkolene T-Shirt	Large
800258434	Silkolene T-Shirt	X-Large
800270214	Silkolene Retro T-Shirt	X-Large
800258380	Silkolene Polo Shirt	Medium
800258373	Silkolene Polo Shirt	Large
800258366	Silkolene Polo Shirt	X-Large
800258342	Silkolene Soft-Shell Jacket	Medium
800258328	Silkolene Soft-Shell Jacket	Large
800258359	Silkolene Soft-Shell Jacket	X-Large
800258427	Silkolene Fleece	Medium
800258410	Silkolene Fleece	Large
800258403	Silkolene Fleece	X-Large

Full Product listing as of 1-1-2020

All information correct at time of publication.

More than just lubricants... **FUCHS** **Silkolene®**

Did you know that FUCHS Silkolene can offer help with your workshop equipment requirements?

To find out how FUCHS Silkolene can invest into your business, please contact your regional FUCHS Silkolene sales manager.

Customer support - display



Metal Retail Display Stand



Cardboard POS Display Stand



3x 20L Lube Cube/Mauser WORKSHOP Display Stand

Roller Banners

800mm wide x 2m high



Off Road



Tourer



- branding



Bike Stickers/decals
small 150 x 28mm
large 250 x 47mm



Track Tape
100m per roll



Fork Stickers/decals
230 x 44mm

Patches for leathers
250 x 47mm

Oil Service Stickers
x100m per roll



Recommended lubricant stickers
x100 per roll (silver or black)



Vinyl Workshop / Trackside Banner 3m x 1m
SUPPLIED ON ROLLS of 5 continuous banners (15m x 1m)

Foamex Building Sign 1m x 0.4m

Beanie Hat


Baseball Cap

Black Promotional T-Shirt




Customer support

- [www / product selector](http://www.silkolene.com/product-selector)



**THREE quick clicks
to find the right
product for your bike....**

www.silkolene.com



- 24/7 information access
- User friendly on both desktop & handheld devices
- Gain additional analytical user information
- 100% product recommendation control


Creative Portal

Instructions for use

The FUCHS SILKOLENE Creative Portal is an online system which allows you to **DOWNLOAD** open artwork and images directly from us. Below is a step-by-step guide on how to use the system. If you have any queries please contact:


Step 1: Web Address

Please type in **files.fuchslubricants.com** into the tool bar of your browser as shown.



Step 2: Log-in


Please type in the Username and Password:

A screenshot of a login page. The page has a white background and a blue border. At the top, it says 'Welcome the FUCHS Lubricants (UK) plc file sharing system.' Below that, it says 'Please enter your login details'. There are two input fields: 'Username *' with the value 'contact-uk@fuchs.com' and 'Password *' with a masked password '.....'. Below the password field, there is a blue 'Login' button and a link that says 'I have forgotten my password'. At the bottom, there is a red box with white text that says 'Username is: contact-uk@fuchs.com' and 'Password is: silkoleneuser'.

Step 3:
Home Page

This is the next screen you will see.


Click **SILKOLENE...**



Step 4:
Sub-sections


By clicking one of the buttons, you will see various sub-sections.

Use the sub-sections to locate the file(s) that you wish to download...



Step 5:
Download Files

Once located, simply click on the file icon to download it to your computer.





Silkolene®

THE HISTORY
1908 to today...

A true thoroughbred



Dalton and Company founded in 1908 - originally manufacturers of veterinary products to local farmers until they realised there was potential in selling lubricants for farmers' machinery and began developing oils for the growing motor industry.

1939

Dalton and Company Limited establish a refining service for used aero engine oils.

1962

First plant in the UK to manufacture pharmaceutical and cosmetic quality petroleum jellies in the UK under the brand name of 'Silkolene'.

1982

The Silkolene motorcycle brand fully enters the motorsport world with Silkolene race teams and a long-term sponsorship agreement with Honda UK's motorcycle race team.

1990

Dalton and Company Limited officially change their name to Silkolene Lubricants

1996

Silkolene is purchased by the Fuchs group and FUCHS LUBRICANTS (UK) plc was born.

TODAY...

FUCHS LUBRICANTS UK is the groups' global Centre of Excellence for the Silkolene range. Now with almost 40 years of knowledge & experience, Silkolene is a range of market leading 100% dedicated motorcycle lubricants, sold in over 55 countries worldwide.

Contacts



Customer Support Tools:

Website:

www.silkolene.com

Product Finder:

www.silkolene.com/product-selector



Social Media:

 /fuchslubricantsuk

 @fuchs_silkolene

 @fuchs_silkolene

 /fuchs-lubricants-uk-plc



General contact
contact-uk@fuchs.com

Or contact us direct for quick and professional support...



Sales - UK North
Ian Cunnington
ian.cunnington@fuchs.com



Sales - UK South
Terry Wicks
terry.wicks@fuchs.com



Sales - UK & Export
Joost van Genderen
joost.vangenderen@fuchs.com



Sales Administrator
Sue Connor
sue.connor@fuchs.com



Technical
Andy Brown
andy.brown@fuchs.com



Product
Rosemary Mellor
rosemary.mellor@fuchs.com



Marketing
Sally Travis
sally.travis@fuchs.com

FUCHS LUBRICANTS (UK) plc

New Century Street,
Hanley, Stoke on Trent,
Staffordshire, ST1 5HU, England.

Phone: +44 (0)1782 203 700

E-mail: contact-uk@fuchs.com

www.silkolene.com // www.fuchs.com/uk

 [/fuchslubricantsuk](https://www.facebook.com/fuchslubricantsuk)

 [@fuchs_silkolene](https://twitter.com/fuchs_silkolene)

 [@fuchs_silkolene](https://www.instagram.com/fuchs_silkolene)

 [/fuchs-lubricants-uk-plc](https://www.linkedin.com/company/fuchs-lubricants-uk-plc)

All information correct at time of publication.
Any form of reproduction requires express prior written permission from
FUCHS LUBRICANTS. © FUCHS LUBRICANTS. All rights reserved.

012020

