

Introduction of TITAN GT1 FLEX 3 SAE 5W-40 The best 5W-40 we ever had!



Dear Sirs,

We would like to inform you about the introduction of our new product TITAN GT1 FLEX 3 SAE 5W-40.

General Information

Although the global trend is towards low-viscosity engine oils, engine oils in the SAE 5W-40 viscosity class are still very widespread and of great popularity. In addition, OEMs have recently established new specifications that specifically address the requirements of high-performance petrol engines with exhaust aftertreatment systems (GPF): VW 511 00 and PORSCHE C40. But the existing applications in this field should not be neglected, too.

With our TITAN GT1 SAE 5W-40 we have already been addressing these requirements for more than 20 years. However, the increasing requirements now, make the introduction of a new product TITAN GT1 FLEX 3 SAE 5W-40 necessary. Furthermore, TITAN GT1 FLEX 3 SAE 5W-40 offers all the advantages of TITAN GT1 SAE 5W-40 and even more.

TITAN GT1 FLEX 3 SAE 5W-40

TITAN GT1 FLEX 3 SAE 5W-40 is part of our TITAN FLEX range and is perfectly suited for product rationalization for several manufacturers. It combines the most diverse requirements to achieve widest market coverage - always with the corresponding OEM approvals and in accordance with the ACEA C3 sequence.



FUCHS SCHMIERSTOFFE GMBH Friesenheimer Straße 19 68169 Mannheim/Germany Phone +49 621 3701-0 Fax +49 621 3701-7000 zentrale-fs@fuchs.com





Automotive Information Service

February 2021

Product Profile and Application

TITAN GT1 FLEX 3 SAE 5W-40 is a Premium Performance, fuel-economy engine oil with innovative XTL technology for optimum cold-start properties and outstanding performance reserves for modern passenger cars and vans with/without extended service intervals. Specially developed for vehicle models with exhaust gas aftertreatment and turbocharging.

TITAN GT1 FLEX 3 SAE 5W-40

Specifications	Approvals	FUCHS Recommendations	
	BMW LONGLIFE-04		
ACEA C3 API SN	MB-APPROVAL 226.5	API CF	
	MB-APPROVAL 229.31	FIAT 9.55535-GH2	
	MB-APPROVAL 229.51	FIAT 9.55535-S2	
	MB-APPROVAL 229.52	FIAT 9.55535-T2	
	PORSCHE C40	FORD WSS-M2C917-A	
	RENAULT RN0700/RN0710	VW 505 00/505 01	
	VW 511 00		

TITAN GT1 FLEX 3 SAE 5W-40 offers great possibility of product rationalization with its comprehensive performance profile, especially for high-performance engines from the VW Group, as well as many models of BMW, Mercedes-Benz, Renault or a wide range of Asian and American manufacturers.

Your XTL benefits

TITAN GT1 FLEX 3 SAE 5W-40's unique XTL technology offers you extensive benefits, such as:



Reduced fuel consumption



Improved ageing stability



Compatibility with exhaust gas after-treatment systems



LUBRICANTS. TECHNOLOGY. PEOPLE.

Outstanding wear protection

FUCHS SCHMIERSTOFFE GMBH Friesenheimer Straße 19 68169 Mannheim/Germany Phone +49 621 3701-0 Fax +49 621 3701-7000 zentrale-fs@fuchs.com







TITAN GT1 FLEX 3 SAE 5W-40 will be available in the following packaging sizes:

1L	5L	20L	60L	205L	1000L	Bulk
601873287	601873300	601873263	601873812	601873799	601873775	601873751

TITAN GT1 FLEX 3 SAE 5W-40 can be used in all applications where TITAN GT1 SAE 5W-40 has been used before. We therefore plan to discontinue TITAN GT1 SAE 5W-40 with its current performance profile soon.

Your FUCHS Team Product Management Automotive



